BOSQ
ergonomic living

KIVA.

Mesh-Back Training Chair



BOSQ.ae

KIVA.

BOSQ.ae



Mesh-back training chair for classrooms, briefing rooms and collaborative zones. Specify with the swivel tablet for notetaking, or without the tablet for a chair that stacks vertically and links into gang rows.



KIVA-T
Swivel tablet, Retractable



KIVA-S
No tablet — Stacks and links

Build options compared.

KIVA-S · NO TABLET

- Stacks vertically
- Links into gang rows with side buckles on both sides
- Tool-free linking and release
- End chairs unlink for aisle access
- Footprint 565 × 530 mm
- Suits events, overflow seating and flexible rooms

KIVA-T · WITH TABLET

- Swivel tablet rated to 20 kg, with pen groove and cup recess
- Aluminium swivel hub swings the tablet clear for entry
- Tablet parks vertically against the back
- Right-hand tablet as standard, left-hand on request
- Footprint 640 × 710 mm
- Suits training rooms, classrooms and briefings

15×33×1.5mm
Q235 steel tube frame, robot-welded

20 kg
Tablet load rating, pen groove and cup recess

Stackable
Vertical stacking, non-tablet version

3 Years
Warranty on frame and mechanism



High-density breathable mesh,
Tear resistant

PP + glass fibre,
Aluminium swivel mechanism, Retractable,
20 kg rated, Pen groove and cup recess

One-piece pp + glass fibre,
Contoured lumbar flex

Moulded high-density foam,
Breathable fabric, PP dust cover

Side row buckles
for gang seating

Q235 steel tube,
15 × 33 × 1.5 mm, Robot-welded

High-temperature powder coated,
Chip resistant


Nylon-rubber plugs,
Anti-Slip & wear resistant


Warranty 3 years, Commercial use

Dimensions

Dimensions in millimetres, nominal ± 10 mm. Specifications may change without notice as the product is improved. Stacking and row linking available on the non-tablet build only.









Front



Side



Rear

Without Tablet — KIVA - S


Overall height	820 mm
Overall width	565 mm
Seat height	455 mm
Seat width / depth	470 / 425 mm
Base footprint	530 × 475 mm

With Tablet — KIVA - T


Overall height	820 mm
Overall width	640 mm
Overall depth	710 mm
Tablet top height	700 mm
Tablet reach, deployed	630 mm

Row linking & stacking

Moulded side buckles cast into the seat shell hook chair-to-chair without tools or loose parts. Rows align on a fixed centre pitch, hold their spacing under load, and release by lifting one chair clear.



Buckle engaged — Hooked pair



Hook & Receiver profile



Link type	—	KIVA- S • Moulded side row buckles, both sides, tool-free engage and release
Row build	—	KIVA- S • Unlimited chairs per row; end chairs unlink for aisle access
Stacking	—	KIVA- S • Vertical stacking, chair remains linkable after unstacking
Tablet	—	KIVA- T • Linking and stacking not available with the swivel tablet fitted



Tablet Mechanism

Aluminium swivel hub rotates the tablet clear of the seat for entry and egress, then parks it vertically against the back. Right-hand mount standard; left-hand on request.

Colourway — Seat Pad

Breathable woven fabric over moulded high-density foam. Frame powder coat in black as standard.

Terracotta Lime Stone Black

Testing & Care

Frame and seat assembly tested for commercial use. Vacuum mesh and pads regularly. Sponge-clean fabric with mild detergent — no solvents. Wipe powder-coated tube and tablet with a damp cloth. Warranty: 3 years on frame and mechanism.



KIVA.

KIVA
Mesh-Back Training Chair

Built & tested for
daily commercial use

BOSQ.ae